Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 15, July 30, 2009

Crop Report for the period July 21 to 27, 2009

The majority of crops in the province are in good to fair condition, according to Saskatchewan Agriculture's weekly Crop Report.

Eighty-eight per cent of spring wheat, 87 per cent of flax, 86 per cent of canola 85 per cent of peas are reported to be in good to fair condition.

Topsoil moisture conditions have declined over the past week. Cropland topsoil moisture is rated as 59 per cent adequate and 36 per cent short; while hay and pasture topsoil moisture conditions are rated as 46 per cent adequate and 46 per cent short.

Pasture conditions have improved somewhat since last month. Thirty-three per cent are in good condition, 47 per cent are in fair condition and 17 per cent are in poor condition.

Forty-nine per cent of the province's hay crop has been baled or put into silage, 26 per cent is cut and 25 per cent remains standing. Fifty-two per cent of the hay crop is rated as good quality, while 30 per cent is rated as fair. The cold and dry conditions earlier in the season have made a second cut of hay unlikely in most areas.

The availability of livestock water supplies remains virtually unchanged from a month ago. Ninety-one per cent of the province has an adequate supply of livestock water, while nine per cent has an inadequate supply.

Dry conditions and insects – primarily grasshoppers, wheat midge and pea aphids – are causing the majority of crop damage. Gophers are also causing damage in some areas.

Farmers are busy haying, scouting fields, controlling insects and getting ready for harvest. A good rain to help fill crops and some heat would be appreciated.

One year ago
Harvest was just getting underway in the south west.
Fifty-six per cent of the 2008 hay crop had been baled or put into silage.
Fifty-eight per cent of reporters rated pastures in good to excellent condition.

For further information, contact: Grant McLean, PAg, Cropping Management Specialist, Regional Services Branch, Agriculture Knowledge Centre, 1-866-457-2377.
E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Please let us know if you no longer need to receive a printed copy

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

CANADA – SASKATCHEWAN
Crop Insurance

Please note:

There is a correction to be made from last week's Crop Report. In the media release the sentence "*All crops are reported to be in good to fair condition*" should read "*The majority of all crops are reported to be in fair to good condition.*" Last week, some areas were reporting a percentage of some crops were in poor or very poor condition.

SK Crop Conditions - July 27, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	6	7	5	6	5	5	6
% good	61	63	61	53	66	65	73
% fair	25	21	28	31	26	27	16
% poor	7	8	6	9	3	3	5
% very poor	0	1	0	1	0	0	0

	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	8	5	5	N/A	10	10	6	2
% good	61	55	57	N/A	60	58	44	60
% fair	27	32	32	N/A	25	24	35	26
% poor	4	7	5	N/A	4	7	12	10
% very poor	0	1	0	N/A	0	1	3	1

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Temperatures finally warmed up, and there were cool nights and some scattered showers throughout the week. CD 1A and 3ASE reported no rain, CD 1B received trace amounts in the areas around Glenavon, Tantallon and Grenfell. The Weyburn area received 30 mm, and was the only part of CD 2A to report rain. CD 2B received an average of 2 mm.

Topsoil moisture conditions have declined by quite a bit from last week. Conditions are being reported as 50 per cent adequate, 44 per cent short and six per cent very short on cropland. Hay and pasture land topsoil moisture conditions are 37 per cent adequate, 54 per cent short and nine per cent very short.

Haying operations are progressing with the dry weather. Fifty-nine per cent of the hay crop has been baled or put into silage, 19 per cent is cut, while 21 per cent remains standing. Six per cent of the hay crop is rated as excellent quality, 50 per cent good, 22 per cent fair and three per cent poor. Hay crop yields are reported to be widely variable due to frost and spotty rains.

Pasture conditions are reported to be 36 per cent good, 43 per cent fair, 17 per cent poor and three per cent very poor. Livestock water availability is 95 per cent adequate and five per cent inadequate.

Insects and dry conditions are causing the majority of crop damage. The dry conditions were reported in CD 1B. Grasshoppers, pea aphids and wheat midge are causing the majority of the insect damage. Barley thrips were reported in the Maryfield area. Gophers are also causing damages in the region. Ergot was reported in the Ceylon area.

Wheat midge populations are being watched to see if control is necessary. In some areas, control measures have already been implemented.

Canola is in the late flowering to podding stage, flax is flowering and cereals are filling. There was a report of wheat streak mosaic virus in some spring wheat fields. Farmers are busy controlling wheat midge, pea aphids and grasshoppers in some areas.

Rain and heat would be nice to help fill crops and allow continued growth in pastures.

SE SK Crop Conditions - July 27, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	13	19	11	19	15	11	0	
% good	63	62	58	47	56	56	55	
% fair	23	18	27	28	26	30	45	
% poor	0	0	4	5	3	3	0	
% very poor	0	0	0	0	0	0	0	
	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	13	12	4	N/A	22	20	13	0
% good	57	51	64	N/A	52	39	51	61
% fair	26	31	28	N/A	22	34	32	31
% poor	4	6	4	N/A	4	6	3	8
% very poor	0	0	0	N/A	0	0	0	0

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

The southwest was hot, windy and dry during the past week. CD 3ASW, 3AN and 4A reported no rain or only trace amounts of moisture. CD 3BS and 3BN received a little bit of moisture, 1.5 mm on average; Admiral received 7 mm. It is getting quite dry and rain is needed.

Topsoil moisture conditions have declined from last week, due to lack of rain. Cropland topsoil moisture was reported as 41 per cent adequate, 53 per cent short and six per cent very short. Topsoil moisture conditions on hay and pasture land are rated as 27 per cent adequate, 60 per cent short and 13 per cent very short.

Haying operations are advancing, with 66 per cent baled or put into silage, 19 per cent cut and 15 per cent still standing. Five per cent of the hay is reported as excellent quality, 54 per cent good and 30 per cent fair.

Pasture conditions have improved somewhat from last month. Twenty-one per cent of the region's pastures are reported to be in good condition, 49 per cent fair, 28 per cent poor and two per cent very poor. Availability of livestock water has remained relatively unchanged from last month: 81 per cent adequate and 19 per cent inadequate.

The majority of crop damage this past week was attributed to gophers, insects and dry conditions. At 57 per cent, grasshoppers are causing most of the damage.

Peas, winter wheat and fall rye are ripening. The high temperatures during the past week have really advanced crops. The heat has brought out the grasshoppers, and some field margins are being stripped bare.

Farmers are busy scouting fields, readying harvest equipment and controlling insects. No one would mind a rainy day. Some producers will begin harvesting in about two weeks time.

SW SK Crop Conditions - July 27, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	2	9	4	2	5	3	6
% good	58	67	58	60	64	66	77
% fair	32	21	32	31	27	26	17
% poor	8	2	5	6	4	4	0
% very poor	0	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	1	4	6	N/A	4	4	4	2
% good	52	52	52	N/A	57	71	68	72
% fair	42	39	39	N/A	35	20	26	25
% poor	4	4	3	N/A	4	4	1	0
% very poor	1	1	0	N/A	0	0	0	0

East-Central Saskatchewan (Crop Districts 5 and 6A)

Scattered showers, warmer temperatures and cooler nights brought good growing conditions. Scattered rain showers occurred throughout the region. CD 5A averaged 1 mm; CD 5B, 3 mm; and CD 6A, 2 mm. With 9 mm, the Lintlaw area recorded the most amount of rainfall.

Cropland topsoil moisture conditions have declined in the region. Reporters are indicating 65 per cent is adequate, 31 per cent is short and five per cent is very short. Hay and pasture topsoil moisture conditions are 54 per cent adequate, 40 per cent short and seven per cent very short.

Forty-six per cent of the hay crop has been baled or put into silage. Twenty-eight per cent is cut and 26 per cent remains standing. Seven per cent of the hay crop in reported as

excellent quality, 68 per cent good and 22 per cent fair quality. There are some predictions that hay yields will be 50 per cent below normal.

Pasture conditions have improved somewhat since last month. Most of the poor pastures have been upgraded to fair. Thirty-five per cent of pastures are reported in good condition, 54 per cent in fair condition and 10 per cent in poor condition. Livestock water availability has remained the same since the end of June, with 98 per cent of producers reporting adequate supply.

Wheat midge was the cause of the majority of the crop damage in the region. Grasshoppers were also causing damage. Ergot was reported in the Leroy area. Bertha armyworm counts appear to be low enough to prevent any significant outbreaks this year.

Rain is needed in the RM 186 to produce an average crop this year. Pulse crops are podding, flax is flowering, canola is in the full bloom to early pod stages.

Farmers are busy controlling midge and pea aphids in some areas, haying and getting ready for harvest. The variable crop stages within the fields have made it difficult to control wheat midge.

E-C SK Crop Conditions - July 27, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	5	3	6	11	3	6	0
% good	69	68	68	70	69	71	100
% fair	23	25	25	16	25	21	0
% poor	2	3	1	2	2	2	0
% very poor	0	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	4	5	5	N/A	17	19	4	33
% good	69	62	75	N/A	67	71	44	56
% fair	24	28	18	N/A	15	9	52	10
% poor	3	4	2	N/A	0	1	0	0
% very poor	0	0	0	N/A	0	0	0	0

West-Central Saskatchewan (Crop Districts 6B and 7)

Generally warm and windy conditions, with some scattered showers, made up the weather for the majority of the week. CD 6B averaged 9 mm of moisture. The Dinsmore area received 43 mm. CD 7A averaged 6 mm and CD 7B averaged 7 mm. The Herschel area received 15 mm, while Tramping Lake received 18 mm.

On average, cropland moisture conditions are rated as 61 per cent adequate, 34 per cent short and five per cent very short. Hay and pasture land is sitting at 51 per cent adequate, 37 per cent short and 11 per cent very short.

The 2009 hay crop is 33 per cent baled or put into silage, 30 per cent cut and 30 per cent standing. Hay crop quality is reported as four per cent excellent, 40 per cent good and 28 per cent fair.

Pasture conditions have improved from a month ago. Thirty-five per cent are in good condition, 46 per cent in fair condition, 17 per cent in poor condition and two per cent in very poor condition. One month ago, pasture conditions were five per cent good, 28 per cent fair, 45 per cent poor and 22 per cent very poor. Availability of livestock water supplies has also improved somewhat, with 81 per cent of producers reporting adequate water supplies and 19 per cent reporting inadequate supply of livestock water.

Insects, primarily grasshoppers and wheat midge, caused the majority of crop damage. Dry conditions continue to hold back crop development in some areas. Grasshoppers are being controlled in lentils. Wheat midge control is occurring in some isolated areas.

Pulse crops and canola are flowering and cereals are headed out. Crops have advanced well in the past week, but are still behind in development.

Farmers are busy scouting fields, preparing for harvest and hauling grain.

W-C SK Crop Conditions - July 27, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	0	0	5	0	5	4	5
% good	3	22	40	27	48	43	28
% fair	14	24	36	39	31	36	17
% poor	76	46	17	28	13	13	49
% very poor	6	7	2	5	2	2	0

	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	1	4	5	N/A	9	7	3	0
% good	38	32	27	N/A	48	48	20	22
% fair	37	37	44	N/A	30	27	30	26
% poor	20	19	20	N/A	10	15	38	44
% very poor	3	7	2	N/A	2	3	8	6

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Hot, windy and dry conditions prevailed in the northeast during the past week, but there were quick and heavy showers in some areas. CD 8A received an average of 8 mm; 25 mm fell in the Porcupine Plain area. CD 8B and 9AE averaged 2.5 mm.

Cropland topsoil moisture conditions have declined from last week's report. Seventy-three per cent is reported as adequate and 26 per cent short. Hay and pasture land topsoil moisture conditions are 68 per cent adequate and 32 per cent short.

Thirty-nine per cent of the hay crop is cut, 33 per cent is baled or put into silage and 28 per cent remains standing. Forty per cent of the hay is reported as good quality and 53 per cent is fair quality.

Pasture conditions have improved since June 30 and are rated as 46 per cent good, 44 per cent fair, eight per cent poor and two per cent very poor. Livestock water availability, at 99 per cent adequate, has remained relatively constant from one month ago.

Crop damage was mostly due to wheat midge again this week. Farmers are applying controls. There was hail reported in the Porcupine Plain area, causing 10 to 25 per cent crop damage. Bertha armyworm counts are low this year, so there is no real cause for concern. Wheat and barley are headed. Rain would be appreciated to fill crops.

NE SK Crop Conditions - July 27, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	0	0	0	3	0	0	0
% good	57	78	69	70	74	72	100
% fair	34	14	28	25	24	27	0
% poor	9	7	2	2	2	0	0
% very poor	0	1	0	0	0	0	0

	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	1	0	N/A	3	0	0	0
% good	71	56	65	N/A	78	62	69	0
% fair	25	33	25	N/A	17	32	21	0
% poor	3	7	10	N/A	2	5	6	0
% very poor	0	0	0	N/A	0	0	3	0

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

It was hot and dry in the northwest during the past week. Temperatures reached to 31° to 32°C. CD 9AW averaged 5 mm of rain and CD 9B averaged 5 mm. The Turtleford area received 13 mm.

Topsoil moisture conditions declined from last week. Cropland topsoil moisture conditions are reported as 80 per cent adequate, 17 per cent short and two per cent very short. The hay land and pasture topsoil moisture conditions are reported as 65 per cent adequate, 32 per cent short and three per cent very short.

Haying operations are continuing. Thirty-three per cent of the hay is rolled up or put into silage, 30 per cent is cut and 37 per cent is still standing. Ten per cent of the hay crop is reported as excellent quality, 45 per cent good and 40 per cent fair.

Pasture conditions have improved from one month ago. Conditions are rated as one per cent excellent, 41 per cent good, 47 per cent fair and nine per cent poor. Water availability is 95 per cent adequate and five per cent inadequate.

Crop damage was mostly due to wheat midge and grasshoppers. The recent rains and warm weather have advanced crops, but they are still two weeks behind in development.

Peas and canola is blooming and barley is heading out. Warm weather is needed to advance crops. Farmers are busy haying, controlling insects and scouting fields. Rain is needed to help fill crops.

NW SK Crop Conditions - July 27, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	0	0	0	0	0	2	0	
% good	82	81	76	0	73	74	100	
% fair	17	17	21	0	26	24	0	
% poor	0	1	2	0	1	0	0	
% very poor	0	0	0	0	0	0	0	
	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	0	0	N/A	6	0	0	0
% good	92	58	100	N/A	79	90	0	0
% fair	7	34	0	N/A	14	7	0	0
% poor	0	5	0	N/A	0	0	0	0
% very poor	0	2	0	N/A	0	0	0	0

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the week ending July 27, 2009

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	NIL	186
	2	Mt Pleasant	NIL	182
	3	Enniskillen	NIL	166
	33 A	Moose Cr.	N/A	114
	33 B	Moose Cr	NIL	141
	34	Browning	N/A	113
	61	Antler	N/A	147
	63	Moose Mountain	N/A	143
	64	Brock	NIL	103
	65	Tecumseh	N/A	112
1B	91	Maryfield	NIL	127
	92	Walpole	N/A	139
	93	Wawken	NIL	143
	94	Hazelwood	NIL	189
	95	Golden West	NIL	124
	121	Moosomin	NIL	165
	122	Martin	NIL	146
	123	Silverwood	NIL	179
	124	Kingsley	NIL	154
	125	Chester	0	125
	151 B	Rocanville	TR	145
	153	Willowdale	N/A	121
	154	Elcapo	N/A	135
	155	Wolseley	TR	109
2A	36	Cymri	NIL	164
	66	Griffin	N/A	129
	67	Weyburn	30	158
	68	Brokenshell	NIL	127
	69	Norton	N/A	191
	96	Fillmore	NIL	151
	97	Wellington	NIL	147
	99	Caledonia	NIL	191
2B	126	Montmartre	1	178
	127	Francis	5	171
	129	Bratt's Lake	4	4
	131	Baildon	1	124
	156 A	Indian Head	1	167
	156 B	Indian Head	1	145
	157	South Qu'appelle	1	162
	158	Edenwold	N/A	12
	160	Pense	NIL	110
	161	Moose Jaw	3	88
	191 A	Marquis	NIL	137
3ASE	9	Surprise Val.	N/A	112
	38 A	Laurier	NIL	157
	38 B	Laurier	NIL	157
	39 A	The Gap	NIL	143
	39 B	The Gap	NIL	201
3ASW	10	Happy Val.	NIL	120
	12	Poplar Val.	N/A	137
	40	Bengough	NIL	140
	42	Willow Bunch	NIL	178
	43 A	Old Post	NIL	184
	44	Waverley	NIL	176
	70	Key West	NIL	81
	71 A	Excel	NIL	180
	71 B	Excel	N/A	158
	71 C	Excel	N/A	105
	73 A	Stonehenge	NIL	177
	73 B	Stonehenge	NIL	187
	74	Wood River	NIL	90
3AN	101	Terrell	NIL	177
	102	Lake Johnston	1	144
	103	Sutton	NIL	150
	134	Shamrock	NIL	203
	164	Chaplin	NIL	178
	193	Eyebrow	NIL	117
	194	Enfield	N/A	158
3BS	17 A	Val Marie	3	225
	17 B	Val Marie	N/A	N/A
	45	Mankota	NIL	134
	75 A	Pinto Cr.	TR	154
	75 B	Pinto Cr.	NIL	121
	76 A	Auvergne	NIL	133
	76 B	Auvergne	N/A	139
	77	Wise Cr.	7	209
	78 A	Grassy Cr.	4	202
	78 B	Grassy Cr.	NIL	141
	78 C	Grassy Cr.	N/A	157
	105	Glenbain	TR	131
	106	Whiska Cr.	NIL	114
	107	Lac Pelletier	N/A	56
	108	Bone Cr.	2	147
3BN	138	Webb	NIL	147
	165	Morse	0	21
	166	Excelsior	3	130
	167	Sask. Landing	4	133
	168	Riverside	NIL	109
	225	Canaan	2	96
	226	Victory	3	133
	226 A	Lacadena	N/A	157
	226 B	Lacadena	1	139
	255	Coteau	N/A	205
4A	49 A	White Val.	NIL	158
	49 B	White Val.	NIL	121
	51	Reno	NIL	128
	79	Arlington	TR	104
	109	Carmichael	NIL	172
	110	Piapot	NIL	215
	111 A	Maple Cr.	N/A	147
4B	139	Gull Lk.	3	141
	141	Big Stick	2	153
	142	Enterprise	3	145
	169	Pittville	N/A	147
	231	Happyland	NIL	93
	232	Deer Forks	NIL	131
5A	183	Fertile Belt	NIL	160
	184 A	Grayson	NIL	132
	184 B	Grayson	NIL	103
	185	Mcleod	TR	140
	186	Abernethy	NIL	126
	211	Churchbridge	7	178
	213	Saltcoats	1	117
	216 A	Tullymet	NIL	206
	216 B	Tullymet	TR	128
	241	Calder	N/A	97
	243	Wallace	8	138
	245 A	Garry	NIL	135
	245 B	Garry	TR	186
	246	Ituna Bon Acc.	1	217
	247	Kelliross	TR	209
	248	Touchwood	4	182
5B	271	Cote	6	119
	273	Sliding Hills	N/A	25
	275	Insinger	4	167
	276	Foam Lk.	N/A	106
	277	Emerald	NIL	182
	304	Buchanan		
	305	Ivermay	N/A	120
	307	Elfros	3	172
	308	Big Quill	3	150
	333	Clayton	N/A	105
	335	Hazel Dell	9	176
	336	Sasman	TR	120
	337	Lakeview	N/A	158
	338	Lakeside	3	175
	366	Kelvington	6	201
	367 B	Ponass Lk.	N/A	N/A
6A	190 A	Dufferin	TR	98
	190 B	Dufferin	1	136
	190 C	Dufferin	NIL	132
	190 D	Dufferin	N/A	42
	190 E	Dufferin	N/A	N/A
	219 A	Longlaketon	6	157
	219 B	Longlaketon	N/A	177
	220	McKillop	NIL	152
	221	Sarnia	1	204
	222	Craik	N/A	231
	251	Big Arm	8	268
	252	Arm River	2	248
	279 A	Mount Hope	N/A	153
	279 B	Mt Hope	6	172
	280	Wreford	NIL	133
	282	Mccraney	4	215
	309	Prairie Rose	1	195
	312	Morris	1	154
	313	Lost River	NIL	91
	339	Leroy	5	174
	340 A	Wolverine	1	180
	341	Viscount	NIL	113
	343	Blucher	3	105
6B	283	Rosedale	2	246
	284	Rudy	6	215
	285	Fertile Val.	9	161
	286	Milden	43	132
	314	Dundurn	TR	175
	344	Corman Pk	1	66
	346	Perdue	7	193
	376 A	Eagle Cr	5	121
	376 B	Eagle Cr	5	190
7A	259	Snipe Lk.	1	150
	287	St Andrews	2	99
	288	Pleasant Val	3	150
	290	Kindersley	N/A	40
	292	Milton	N/A	90
	317 A	Marriott	N/A	145
	317 B	Marriott	5	207
	318 A	Mt. View	8	117
	318 B	Mt. View	15	177
	320	Oakdale	9	144
	321	Prairiedale	8	88
7B	347 A	Biggar	7	210
	347 B	Biggar	N/A	214
	350 A	Manposa	N/A	42
	350 B	Manposa	18	126
	351	Progress	11	156
	352	Heart's Hill	N/A	68
	377	Glenside	6	186
	378 A	Rosemount	3	133
	378 B	Rosemount	7	177
	379	Reford	4	89
	380	Tramping Lk.	3	102
	382	Eye Hill	N/A	140
	409	Buffalo	6	194
	410	Round Val.	5	79
	411	Senlac	5	132
8A	396	Porcupine	25	177
	397	Barrier Val.	5	191
	428	Star City	N/A	144
	456	Arborfield	9	217
	457	Connaught	1	86
	458	Willow Cr.	NIL	97
	486	Moose Range	12	177
	487	Nipawin	4	101
8B	369	St. Peter	N/A	94
	370	Humboldt	1	125
	371	Bayne	3	127
	372	Grant	2	128
	373	Aberdeen	N/A	N/A
	400	Three Lks.	N/A	N/A
	402	Fish Cr.	3	117
	429 A	Flett's Spr.	N/A	62
	429 B	Flett's Spr.	2	160
	431	St. Louis	4	161
	459	Kinistino	3	161
9AE	461	Prince Albert	TR	60
	488	Torch River	4	181
	520	Paddockwood	N/A	28
9AW	406	Mayfield	6	138
	435	Redberry	7	231
	436	Douglas	N/A	118
	463	Duck Lake	5	190
	464	Leask	8	182
	467	Round Hill	N/A	136
	493	Shellbrook	NIL	215
	494	Canwood	6	231
	496	Spiritwood	6	144
	497	Medstead	5	182
	555	Big River	N/A	15
9B	438	Battle River	11	179
	440	Hillsdale	TR	97
	442	Manitou Lake	1	118
	498 A	Parkdale	4	161
	498 B	Parkdale	4	152
	499	Marvin	13	182
	501 A	Frenchman Butte	9	181
	501 B	Frenchman Butte	12	191
	501 C	Frenchman Butte	5	151
	502	Britannia	NIL	163
	561	Loon Lake	3	186
	588 A	Meadow Lake	2	221
	588 B	Meadow Lake	N/A	181
	588 C	Meadow Lake	N/A	187
	588 D	Meadow Lake	3	180
	622	Beaver River	3	122

* incomplete

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Weekly Rainfall

for the week ending July 27, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 29, 2009

Cumulative Rainfall

From: April 1, 2009
To: July 27, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200
Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 29, 2009

Cropland Topsoil Moisture Conditions

July 28, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 29, 2009

Cumulative Rainfall

From: April 1, 2009
To: July 27, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

0 25 50 100 150 200
Kilometers

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 29, 2009

© 2009 Government of Saskatchewan

Projection: UTM Zone 13 Datum: NAD83

Cropland Topsoil Moisture Conditions

July 28, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 29, 2009

Hay and Pasture Topsoil Moisture Conditions

July 28, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 29, 2009

Pasture Conditions

July 28, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Pasture status - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 29, 2009

Hay and Pasture Topsoil Moisture Conditions

July 28, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 29, 2009

Pasture Conditions

July 28, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Pasture status - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 29, 2009

Availability of Livestock Water

July 28, 2009



Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

Data Source:
Livestock water - Saskatchewan Ministry of Agriculture
Crop Report Database

Prepared by: Geomatics Services Date: July 29, 2009

Availability of Livestock Water

July 28, 2009



Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Livestock water - Saskatchewan Ministry of Agriculture
Crop Report Database

Prepared by: Geomatics Services Date: July 29, 2009